



India's Most Trusted CCTV Brand

4MP+4MP 4G PT Linkage Camera



Pan-Tilt
Monitoring



All Time
Color Vision



Human
Detection



Cloud
Storage



Alarm
Push



256GB
SD Card



2 Way
Intercom



Dual Lens with Pan-Tilt Camera

- 4G Sim Card Support
- All Time Color Vision
- Smart Human Detection
- QR Code Scanning for Network Connection

UC-4G-4M-PT-LK (PL)

Supports all India 4G Sim Cards.



airtel



FEATURES

- 4MP + 4MP (2688 x 1520) Resolution
- All Time Color Vision
- Full Duplex Audio Intercom (Built-in High Sensitivity Mic & Speaker)
- Horizontal Rotation: 350°, Vertical Rotation: 90°
- Dual Monitoring – One Camera for wide angle monitoring and one for PT detailed Monitoring
- Support 10x Digital Zoom
- 6 Preset Points for favourite location
- Smart Human Detection, Motion Detection, Human Tracking
- Mobile Notification on Human & Motion Detection
- Customized Pre-recorded Voice Alarm
- Active defence and siren light
- Support Micro SD Card upto 256GB & Cloud Storage (Optional)
- QR Code Scanning for Network Connection
- Monitoring: Mobil/PC Software (EseeCloud)
- IP66 Waterproof Rating, 4000 Lightning Protection
- Alexa Support



Infrared mode



Full-color mode

Technical Specification

Product Code	:	UC-4G-4M-PT-LK (PL)
Image Sensor	:	1/2.9" CMOS Sensor
Resolutions	:	4MP + 4MP (2688 x 1520)
Lens	:	Bullet: 4mm Fixed + Pan-Tilt Dome: 8mm Fixed
IR LED	:	Bullet: 6 Pcs Pan-Tilt Dome: 10 Pcs
IR Distance	:	20 Meters
White LED	:	Bullet: 6 Pcs Pan-Tilt Dome: 5 Pcs
White LED Distance	:	20 Meters
Video Compression Standard	:	H.264/H.265/H.265+
Video Streaming	:	Main Stream: 2688 x 1520 / 15 fps Sub Stream: 800 x 896/15 fps
Audio Input/Output	:	Two way audio, Built in microphone and speakers
Audio Compression Standard	:	AAC/G711A
Protocol	:	NI/Onvif
Connectors	:	RJ45 LAN connector (100 Mbps) and DC Power Input
Pan-Tilt Angle	:	Pan: 0° - 350°, Tilt: 0° - 90° Horizontal speed 20°/S, Vertical Speed 10°/S
Zoom	:	10x Combined Zoom
Light Mode	:	Full Color / Infrared / Intelligent
DNR	:	3D Digital Noise Reduction
Day & Night	:	IR-cut Auto ICR
Min Illumination	:	Color: 0.01 Lux, Black & White: 0.001 Lux
White Balance	:	Auto
WDR	:	D-WDR
Mirror/Flip	:	On / Off
Electronic Shutter	:	Auto
Connection Mode	:	4G Sim Network
4G Frequency Band	:	FDD-LTE: B1/B3/B5/B8; TDD-LTE: B34/B38/B39/B40/B41
Video Tuning	:	Contrast, Brightness, Saturation, Sharpness adjustment.
On Screen Display (OSD)	:	Date, Time, & Title
AI Features	:	Motion Detection, Human Detection, Human Tracking.
Privacy Zone	:	Support 4 Zone
Monitoring	:	Android, iOS, Windows (EseeCloud)
Slots	:	4G Sim Card / Micro SD Card
Storage	:	Support Micro SD Card upto 256GB & Cloud Storage (Optional)
Button	:	Reset Button
Power Input	:	DC: 12V/1A (DC 2.1mm Connector)
Power Consumption	:	≤ 15W
Thunder Prevention	:	Standard IEC61000-4-5
Working Temperature / Humidity:	:	-10° C to 50° C / 30% to 80% RH
Storage Temperature / Humidity:	:	-20° C to 60° C / 20% to 90% RH
Housing Type	:	Plastic (IP66)